

Frans Vermeulen


Concordant Reference

Reading excerpt

Concordant Reference

of Frans Vermeulen

Publisher: B. Jain Archibel s.p.r.l.



<http://www.narayana-verlag.com/b11720>

In the [Narayana webshop](#) you can find all english books on homeopathy, alternative medicine and a healthy life.

Copying excerpts is not permitted.

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Germany

Tel. +49 7626 9749 700

Email info@narayana-verlag.com

<http://www.narayana-verlag.com>



Relations • Compare: *Aesc., Lil-t., Murx., Plat., Podo., Puls. and Sep.* [prolapsus uteri]; *Agar.* and *Lack*, [dry mouth]; *Anac.*, *Lac-c.* and *Lye*. [loss of memory]; *Ant-t.* and *Op.* [all ailments & sleepiness]; *Apis*, *Puls.*, *Spig.* and *Verat.* [faintness during or associated with evacuations]; *Arn.*, *Cole.*, *Lack.*, *Lye.* and *Nux-v.* [bloody sweat]; *Ars.*, *Calc.* and *Dulc.* [effects of cold, moist winds; *Aeon.* and *Bry.* of cold, dry winds]; *Ars.*, *Cina* and *Lye*. [sinking immediately after meals]; *Bapt.* and *Pyrog.* [soreness of parts lain on]; *Bell.*, *Nat-m.*, *Sep.* and *Sulph.* [pressure and pushing towards genitals]; *Brom.*, *Lac-c.* and *Lye*. [flatus from vagina]; *Bruc.*, *Gels.*, *Gins.*, *Hera*, and *Sulph.* [headache & drowsiness; *Gels.*, difficult to keep eyes open]; *Bry.* [nausea on raising head from pillow]; *Cact.* and *Lil-t.* [sensation as if heart is grasped]; *Calc.* [$<$ working in water]; *Camph-br.*, *Cann-i.* and *Lack*, [doesn't recognise well-known streets]; *Cocc.* [leucorrhoea instead of menses; effects of riding in a carriage]; *Colch.* [epidemic in autumn, white, fetid stools]; *Con.* [cough during pregnancy, *Lach.* of menstrual period]; *Crot-t.*, *Dulc.*, *Ox-ac.*, *Petr.*, *Sars.* and *Sulph.* [faintness with scanty stools]; *Euphr.* and *Hep.* [sudden hoarseness from walking against wind]; *Ferr.* and *Mag-c.* [rheumatism of 1. deltoid; *Sang.*, of right]; *Haem.* [sensation of a bar across chest; *Nux-m.* has removed "sensation of bar across abdomen, with ends projecting out at back like a bar"]; *Ign.* [hysterical temperament; *Nux-m.* has excessive dryness of mouth]; *Kali-bi.* [distress in stomach while eating or immediately after]; *Lac-d.* [falling of head; *Nux-m.* to left, *Lac-d.* to right]; *Merc.* [*Nux-m.* throat dry without thirst, *Merc.*, mouth moist with thirst]; *Mosch.* [fainting]; *Myris.* [boils and suppuration]; *Nat-s.*, *Rhod.* and *Rhus-t.* [effects of getting wet; damp weather; lying in damp places]; *Puls.* [dry throat without thirst; *Nux-m.* $<$ lying on painful side, *Puls.* $<$ on painless]; *Sars.* [retraction of nipples]; *Staph.* [can't sweat]; ²*Croc.*; ⁶*Ambr.*; *Asaf.*; *Stram.*; ¹*Myris.* [phlegmonous inflammation, hastens suppuration; powerful antiseptic; ulcerative tendency in all tissues; said to act more powerfully than *Hep.* and *Sil.*]; *Ol-myrr.* [Oleum myristicae; oil of nutmeg; as a remedy for boils, felonies, poisonous ulcers, it has been used in 2x potency]; *Orni.* [flatulence, swollen feeling across lower chest; whenever she turns in bed, feels as if a bag of water turned also; gastric ulcer and cancer]. **Compatible:** *Ant-t.*; *Lye.*; *Nux-v.*; *Puls.*; *Rhus-t.*; *Stram.* **Complementary:** ²*Calc.*; *Lye.* **Antidoted by:** *Camph.*; *Gels.*; *Laur.*; *Nux-v.*; *Op.*; *Valer.*; *Zinc.* **Antidote to:** *Ars.*; *Laur.*; *Rhod.*; alcohol; bad yeasty beer; lead colic; turpentine.

Causation • Fright. Mental exertion. Suppressed eruption. Bath [suppressed menses]. Overeating. Milk. Bad beer. Alcohol.

NUX VOMICA

Strychnos nux-vomica. Poison nut. Snake wood. Loganiaceae.

Nux-v.

Generals • Greatest of polychrests, because bulk of its symptoms corresponds in similarity with those of the commonest and most frequent of diseases. It is frequently the first remedy, indicated after much dosing, establishing a sort of equilibrium of forces and counteracting chronic effects. *Nux-v.* is pre-eminently the remedy for many of the conditions incident to modern life. The typical Nux patient is rather thin, spare, quick, active, nervous, and irritable. He does a good deal of mental work; has mental strains and leads a sedentary life, found in prolonged office work, overstudy, and close application to business, with its cares and anxieties. This indoor life and mental strain leads to use of stimulants, coffee, wine, possibly in excess; or again, he hopes to quiet his excitement, by indulging in sedative effects of tobacco, if not really a victim to the seductive drugs, like opium, etc. These things are associated with other indulgences; at

table, he takes preferably rich and stimulating food; wine and women play their part to make him forget the close application of the day. Late hours are a consequence; a thick head, dyspepsia, and irritable temper are the next day's inheritance. Now he takes some cathartic, liver pills, or mineral water, and soon gets into the habit of taking these things, which still further complicate matters. Since these frailties are more yielded to by men than women, *Nux-v.* is pre-eminently a male remedy. These conditions produce an *irritable* nervous system, hypersensitive and over impressionable, which *Nux-v.* will do much to soothe and calm. Esp. adapted to digestive disturbances, portal congestion, and hypochondriacal states depending thereon. Convulsions, & consciousness; < touch, moving; Immediately ceased when the patient was tightly grasped, or elbow was straightened out. *Zealous fiery temperament.* Nux patients are easily chilled, avoid open air, etc. *Nux-v.* always seems to be out of tune; inharmonious spasmodic action. ²Affects the cerebrospinal axis; NERVES; DIGESTIVE ORGANS [LIVER; STOMACH; bowels]; and RESPIRATORY ORGANS. *Twitching and jerking.* Tense, contracted feeling. Lightning-like pains. Neuralgia; prodromal. Sensation as of a rough body internally. *Bruised soreness;* of ABDOMEN, brain, etc. INTERNAL RAWNESS; in throat, larynx, etc. *Takes colds.* Tendency to faint; from odours; in morning; after eating; after attacks feels very sick or weak; after a walk in open air; after every labour pain; after vomiting spells or diarrhoeic stools. Biliaryness. Increased reflexes. ³Paralysis & coldness of the paralyzed part. Catarrh, from sitting in cold places, on stone steps. ⁴Contractive pains throughout body. Muscular spasms, & general hyperesthesia, without impairment of consciousness. General bruised feeling in morning in bed. Symptoms which occur in open air and on moving about, are > in house and during rest, and vice versa. ⁵Epileptic fits that come on during stool. ⁶*Great debility, & oversensitiveness of all the senses. Everything makes too strong an impression.* Stitches in jerks throughout the whole body, = shuddering. Trembling all over; mostly of hands, esp. in morning; in drunkards. Greater weariness in morning after rising than in evening on going to bed. 'Old dyspeptic selecting his food and digesting almost none. Reversed peristalsis. ⁸The symptoms of *Nux* are > after undisturbed sleep; < when sleep is disturbed. *Nervous and dyspeptic troubles caused by worry and much mental, with too little bodily exertion, in business men.* Multiple sclerosis, esp. in beginning, with gastralgic attacks, vertigo, etc. Sudden shocks from some part of body to brain. *Convulsions:* from emotions, as anger; from indigestion; preceded by constipation, jaundice, etc.; begin with an aura from epigastrium; & opisthotonus and emprosthotonus; limbs rigid and numb; renewed by bright light, sudden jar, noise or least touch; followed by deep sleep; brought on by pressure on solar plexus. Strictures after inflammation. *Hangover, & vanishing of sight and hearing;* < after dinner and in sun; heaviness of head in morning. Sensation in muscles of limbs, back, scapulae, etc., as if something in them were drawn back and forth; more spasmodic than painful. Suddenly sleepy and falls to floor, sleep lasts one or two minutes, when he rises and goes about his work; epilepsy. Heaviness of inner and outer parts; sensation of lightness of body. Paralysis: parts cold, numb, emaciated; caused by apoplexy or cerebral softening, & vertigo and weakness; after sexual excesses; after abuse of alcohol; in high livers, leading an easy life; attack preceded by vertigo, buzzing in ears, nausea and urging to vomit. Enlargement of veins without much tortuosity; hard, black cords; in persons of robust health, and accustomed to standing much on feet, or from sedentary habits. ["]*Convulsions;* on slightest touch [*Stram.*]; spasm > forcible extension of body, in intervals constant twitches of limbs; like electric shocks; renewed by movement, speech hurried, when

N

talking spasm of facial muscles, trismus, pale face, weak pulse, sweat on head; whole body straight and stiff, legs wide apart, pulse and respiration imperceptible, face and hands livid; head drawn back, teeth clenched, heels fixed to ground, eyes protruding, unable to move, but crying "Hold me." Tetanic spasms, eyes wide open, protruding, rigid, jaws clenched, lips wide open, face distorted, limbs rigidly outstretched, spine bent backward. Tetanic spasms, head drawn backward, arms extended, fingers flexed to palms, jaws contracted, face livid, eyes open, fixed, protruding, trunk stiff, legs extended, feet turned outward, toes flexed to sole, skin dry and warm, breathing loud, perfect sensibility between spasms, at last slightest movement or attempt to speak or drink caused paroxysms, she begged to be let alone on account of pains during paroxysms. Tetanic spasms, limbs stretched out, hands grasping sides of bed, legs apart; jerking of whole body on touch or movement of bed or sudden noise. Whole body feels electrified. There is general relief from unbroken sleep, but aggravation when sleep is disturbed; the patient is usually very drowsy early in evening and wakes very early in morning, but after falling asleep a second time he wakes finally with all the Nux aggravations.

Mind • Very *irritable*; sensitive to all impressions. Ugly, malicious. *Can't bear noises, odours, light, etc.* Doesn't want to be touched. Time passes too slowly. Even the least ailment affects her greatly. Disposed to reproach others. *Sullen fault-finding.* "Active, ANGRY AND IMPATIENT; can't stand pain; so mad, he cries. *Zealous, nervous and excitable.* Fears poverty. Spiteful. Nagging. *Violent* [suicidal] impulses. ⁴Unable to think connectedly; easily makes mistakes. ⁸Every harmless word offends; every little noise frightens; anxious and beside himself; can't bear the least, even suitable, medicine. Great anxiety, & inclination to commit suicide, but is afraid to die; much lamentation and weeping. Anxiety in morning on waking, >rising, & orgasm of blood, and ill-humour. ⁷Anger when consoled. CONCENTRATION DIFFICULT WHILE CALCULATING. Confusion of mind after vexation. Frightened easily, wakes in fright from least noise. Wants to be quiet, desires repose and tranquillity. Sensitive to singing. *Stupefaction < in sun.* ANGER; WHEN OBLIGED TO ANSWER; from interruption. CENSORIOUS. CONFUSION AFTER A CAROUSEL. *Cursing. Delusions; sees mutilated bodies. Fastidious.* ABUNDANT IDEAS, CLEARNESS OF MIND, EVENING IN BED. *Sudden impulse to kill, for a slight offence. Kleptomania. Libertinism. Occupation >. Disposition to slander. Sympathetic.* UNCONSCIOUSNESS; FROM ODOURS; DURING PARTURITION; during pregnancy. ⁸Thoughtful and sad mood, sometimes & inclination to weep, without being able to do so. Sensibility so great that music even causes tears to flow. Frightfully apprehensive about getting married, girl lies on a sofa and throws her arms and legs about and refuses to see a doctor. Pains which are felt to be so insupportable that patient would prefer death to the suffering. *Closes connection of ideas; thinks she will lose her reason.* Despondency # buoyancy. Talks about his condition; even the least ailment affects him greatly. *Desire to talk about one's condition, & anxious reflections about it.* Quarrelsome if disturbed. Fear of knives and the like, lest she would kill herself or others. Insane desire when alone with her husband, whom she adores, to kill him. Inclined to find fault and scold. *Obstinately resists wishes of others.* Quarrels, reproaches, scolds, insults, from jealousy, mingled with unchaste expressions; soon afterwards howls and weeps aloud. Impatient when spoken to; gets angry and violent without any provocation. Causeless anxiety; thinks she will not be able to get along in life; caducity. Taciturn; remains for hours without wishing to take part in conversation. Melancholia after extraction of carious tooth; speaks of nothing but his tooth; retires to his room and unlocks door only after much

entreaty; on entrance of physician withdraws timidly to farthest corner of room, with his eyes cast down; of many questions answers but few and speaks of nothing but his tooth; sits idly about whole day, crying, and complaining of his anxiety. *Indisposition to mental exertion, esp. to that form which involves elaboration and connection of subjective ideas independently of external objects.* Melancholia in consequence of losing his position. *Delirium tremens;* imagines himself surrounded by persons who carry on all sorts of pranks, or ply him with questions which he thinks he is compelled to answer. *Hypochondrias is:* with studious men sitting too much at home, & abdominal complaints and constipation; after all kinds of quack medicines, for dyspepsia; arising from liver or gastric troubles, esp. in drunkards; < after eating, & sensitiveness. Talkative and even chatty in evening, but jumps from subject to subject; launches into high-flying, fantastic plans, fancies himself rich and wants to make presents of thousands, and makes large useless purchases; doesn't consider himself ill; broods all night long over a lawsuit, by which he may gain or lose a million. Mania puerperalis; constantly complaining, criticising or explaining, at times words are well chosen, at others uses high-sounding phrases; spoke of the imperfection of medical knowledge and declared it an error that one could not live without a heart, in as much as she felt very well without one. Awakens at 4 a.m. with mental anguish; eyeballs aching, vision impaired, despondent; fears she will lose her sight. Hypochondriasis after all kinds of quack medicines, for dyspepsia. Disinclination to work and great lassitude or weakness in morning; has no patience for work. Effects of wounded honour; lies awake in bed in a stupid state, sometimes with a friendly expression, sometimes staring right before him; can't speak a word, yawns, groans and sighs occasionally; often puts hand to forehead and frowns. Dementia paralytica.¹⁰ He looked angrily at anyone who asked him a question, without answering, as if obliged to restrain himself to avoid being insulting, he was so irritable that it seemed as if he would like to strike one in the face who spoke to him. Intolerance of noise or talking, music and singing affect him [*Coff; Bell.*]. Beside herself at slightest contraction or reasonable representations to do differently. Resists obstinately what is desired by others. Taciturn as if averse to everything.

Vertigo • *With momentary loss of consciousness.* In morning. Intoxicated feeling; < morning, mental exertion, open air; ⁶> warm room, sitting quietly or lying down. ⁷On an empty stomach. *"After dinner;* reeling while walking, as if he would fall to one side or backward. ⁸Better: Wrapping head up in warm room. On sneezing, coughing, stooping, or on rising up again. Evening in bed, when lying on back. ⁹As if brain were turning in a circle; as if room were whirling; objects seem to move around him. With pains in forehead, heat and redness of face. Comes suddenly like an electric shock. At night awaking him from sleep. From opium, smell of flowers, gas, etheric oils, etc. From night watching and mental overexertion. After suppressed haemorrhoidal flow. *"When walking after eating; > standing still. With roaring in ears and blackness before eyes.*

Head • SE Brain feels turning in a circle. Pressure on vertex as of nail driven in. Heaviness and pressure [⁹in forehead], as if he had not slept enough, in morning, < moving eyes, > evening. ⁶Skull occiput would burst. *Head as if beaten with an axe.* *Tension in forehead,* as if pressed in, at night and in morning; < exposing head to cold air; ⁹> lying on back. Bruise in back part of head. Stupid, in head when holding it erect; on bending head down, as if something heavy fell into forehead. *Head immensely larger than body, as large as a church.* *Bruised, brain, generally one [r.] sided; > lying on painless side.* Brain feels shattered when walking; as if dashed to pieces; seems to

N

Heat • Dry heat of body. *Body burning hot, esp. face; yet can't move or uncover without feeling chilly.* ⁹At night, without thirst. *Worse:* during least exertion or in open air. With internal chilliness. Of single parts while others are chilly. With overexcited senses, < external impressions. With anxiety and restlessness. Internal burning through whole body. Of hands and feet which must be covered, because cold causes intolerable pain. Ascending from throat.

Sweat • Sour; only one side of body [or only on upper part]. ⁴Rather light, but > pains [⁹in limbs]. ⁶Cold, clammy, on face. ⁹Odour of musty straw. During sleep, disappears on waking. After midnight and in morning.

Skin • Urticaria, & gastric derangement. Acne; skin red and blotchy. ²Gooseflesh. ⁸Ulcers & elevated margins of a pale red colour. Blue mottled skin, esp. on covered parts, during shaking chill. Excessive itching all over body, —> head. Burning pricking like fleabites. Burning itching or stinging after scratching. Skin as if numb. Ecchymosis; blue spots as if ecchymosed. Tendency to boils; esp. if several small ones unite. White miliary eruption. Abscesses; it often disperses them.

Modalities • *Worse:* EARLYMORNING. COLD: OPEN AIR [dry]; drafts; seats; wind. UNCOVERING. HIGH LIVING; coffee; condiments; alcohol; drugs; purgatives; overeating. *Sedentary habits. Debauchery. Mental exertion; fatigue; vexation. Disturbed sleep. SLIGHT CAUSES; anger; noise; odours; touch. PRESSURE; of clothes at waist. Yawning. Tobacco. Music. Wounded honour. Disappointed ambition. Mental shock.* ⁶After eating, esp. after dinner. *Better:* FREE DISCHARGES. Naps; if allowed to finish it. Wrapping head. Resting. Hot drinks. Milk. Fats. *Moist air. Lying on either side. Strong pressure. Frequent stretching. Cold sweat [> all pains]. After dinner.*

⁸Symptoms < morning; open air; motion; mental exertion. Each of these is characteristic; a combination of two or three of them may be considered a keynote. < Morning is the greatly predominating feature of *Nux-v.* [The best time to give *Nux-v.* is in evening at bedtime, that is, well away from the time of its chief aggravations. Cough and some other symptoms < night; < after midnight; < 3 or 4 a.m. Drowsiness during day. Menses return at full moon. Although *Nux-v.* is sensitive to chill, drafts, and cold air, most symptoms being < cold, cold water and getting wet the symptoms are generally < dry weather, > wet weather. But wet weather < facial neuralgia; and wet, warm weather = gastric and bilious fever. Warm room and warm covering > headache. But warm room = fainting. Summer heat is insupportable; sunshine < headache. Open air > flatulence and asthma and < all other symptoms. Milk sours in stomach. Heat in head when eating. Alcoholic drinks both < and >. Pressure >; but can't bear tight clothing. Riding in carriage = sickness. Coughing <; shocks are felt in pit of stomach with every cough. When "all medicines disagree" *Nux-v.* will often cure the morbid sensitiveness and other troubles with it. There is great > for a short time after a stool.]

Conditions • ⁸Suited to vigorous persons of dry habit, tense fibre, ardent and irascible temperament and tenacious disposition. Persons addicted to wine, coffee, or pepper and condiments, who live a sedentary life with much mental exertion. Debauchees, thin, irritable, venous. ⁹Suits very particular, zealous persons, inclined to get angry or excited, or of a spiteful, malicious disposition. Ardent character, or a disposition disposed to anger, spite or deception; always irritable and impatient. Nervous, melancholic people, troubled with indigestion; venous constitution, & tendency to haemorrhoids. Suits thin, irritable, choleric persons with dark hair, who make great mental exertion or lead a sedentary life. Drugged subjects.

N

Relations • Compare: *Acon.*, *Bell.*, *Camph.*, *Cic.*, *Cur.*, *Hydr-ac.*, *Phys.* and *Phyt.* [tetanus]; *Aesc.* [piles]; *Agn.*, *Carb-an.*, *Chel.*, *Kreos.*, *Nit-ac.*, *Prun.*, *Sep.* and *Thuj.* [leucorrhoea staining yellow]; *Alum.* [> wet weather]; *Ambr.*, *Asar.*, *Cast.* and *Nux-m.* [sensitiveness]; *Apis* [scraped feeling in throat]; *Ars.*, *Bism.*, *Carb-v.*, *Kreos.*, *Lye.* and *Puls.* [gastric troubles; *Carb-v.* often follows *Nux-v.* well in ill-effects of debauchery]; *Ars.*, *Calc.*, *Kali-c.* and *Sep.* [wakes 3 a.m. and can't get to sleep]; *Ars.* and *Hep.* [desire to kill those there is most reason to love]; *Bell.*, *Sep.* and *Sulph.* [paralysis of sphincter; *Nux-v.* at any time, *Sep.* in first sleep, *Bell.* and *Sulph.* in deep sleep]; *Calc.*, *Chin.*, *Cob.*, *Con.*, *Lye.*, *Nat-m.* and *Sulph.* [bad effects of masturbation]; *Calc.*, *Lye.* and *Nux-m.* [bloody sweat]; *Calc.*, *Lye.* and *Sulph.* [fear of losing senses]; *Calc.* and *Sulph.* [impotence from abuse]; *Carb-v.*, *Lye.*, *Nat-s.* and *Zinc.* [asthma]; *Cham.* [stopped-up nose; *Cham.*, feels stopped but discharges hot water, *Nux-v.* no secretion whatever]; *Cham.* and *Mag-m.* [bad temper before and during menses; *Cham.* doesn't know it, *Nux-v.* does; *Lye.* before menses]; *Cocc.* [effects of night-watching; sensitiveness; effects of noise, travelling by land or sea; umbilical hernia]; *Coloc.* [pain during stool, > after; *Merc.* pain and tenesmus continue after stool]; *Dig.* and *Nux-m.* [fainting or faints after every evacuation]; *Ign.*, *Mosch.* and *Nux-m.* [fainting in nervous women]; *Nat-m.* and *Op.* [stricture of rectum]; *Oct.* and *Tab.* [renal colic]; *Pic-ac.* [cerebrospinal affections]; *Picro.*, *Thebin.* and *Verin.* [tetanus]; ⁶*Am-c.*; *Am-m.*; *Bry.*; *Cedr.*; *Coff.*; *Cupr.* ['*Nux* seeds contain copper, notice the cramp-causing proclivities of both]; *Ip.*; *Op.*; *Rhus-t.*; *Sec.*; ³*Anac.*; *Canth.*; *Hydr.*; *Zinc.* Follows well: *Ars.*; *Ip.*; *Mag-m.*; *Phos.*; *Sep.*; *Sulph.*; *'Aloe.* Followed well by: *Bry.*; *Puls.*; *Sulph.* Complementary: *Calc.*; *Sulph.*; ²*Kali-c.*; *Phos.*; ¹*Sep.*; *'Merc.* Antidoted by: *Aeon.*; *Bell.*; *Camph.*; *Cham.*; *Cocc.*; *Op.*; *Pall.*; *Plat.*; *Strain.*; *Thuj.* [ineffectual desire to urinate]; coffee; wine; *'Ign.* Antidote to: *Merc.* [tremors]; *Mez.* [neuralgia]; *Thuj.* [urination]; bad effects of anomalies in foods, e.g. ginger, nutmeg, pepper and so-called "hot" medicines; narcotics, laxatives and vegetable remedies; alcohol. Incompatible: *Zinc.*

Causation • Anger. Coffee. Alcohol. Debauchery. Masturbation. Sexual excess. Injury. ⁴Loss of sleep. Sedentary habits.

N

NYCTANTHES

Nyct.

Nyctanthes arbor-tristis. Night-flowering jasmin. Tree of sorrow. Oleaceae.

Generals • Bilious and obstinate remittent fever; sciatica; rheumatism. Constipation of children.

Mind • Anxious and restless; dull headache.

Mouth • OB Tongue coated.

Food & Drink • Thirst; ⁸drinking = vomiting.

Stomach • SE Burning, > cold application. OB ⁸Bitter vomiting at close of chill.

Abdomen • PA Tenderness of liver.

Rectum • OB Profuse, bilious stool, & nausea. Constipation.

Fever • Thirst, before and during chill and heat; sweat not marked.

NYMPHAEA ODORATA

Nymph.

Nymphaea odorata. Sweet-scented water lily. Water nymph. Nymphaeaceae.

Generals • [In Boericke under Relations of *Nuphar luteum*]: Early morning diarrhoea, backache. Acrid leucorrhoea. Offensive ulcers. Bronchorrhea. Ulcerative sore throat.

Concordant Reference



Complete Classic
Materia Medica

Frans Vermeulen

Frans Vermeulen

[Concordant Reference](#)

Complete Classic Materia Medica

2200 pages,
publication 2012



order