


W. Eggert
Homoeop.therapeutics of uterine and vaginal
discharges

Reading excerpt

[Homoeop.therapeutics of uterine and vaginal discharges](#)

of [W. Eggert](#)

Publisher: B. Jain



<http://www.narayana-verlag.com/b1141>

In the [Narayana webshop](#) you can find all english books on homeopathy, alternative medicine and a healthy life.

Copying excerpts is not permitted.

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Germany

Tel. +49 7626 9749 700

Email info@narayana-verlag.com

<http://www.narayana-verlag.com>



PART IV.

ABORTION, MISCARRIAGE.

(See Uterus in Part V.)

REMEDIES : **Acon.**, Aletr. f., Aloe., **Apis**, Argt. nitr., **Arnica**, Asarum europ., Bapt., **Bell.**, Bry., Bufo, **Calc. c.**, **Caulophyl.**, **Canth.**, **Cham.**, **China**, **Crocus**, Dulc., Erigron, **Ferr.**, Gels., **Hyos.**, **Ignat.**, **Ipec.**, Kali c., Kreosot., Lycopod., Mere., Nitr. acid., **Nux m.**, **Nux v.**, Opi., Phos., Plat., Plumb., Podoph., **Puls.**, Rheum, **Rhus tox.**, Ruta, **Sabina**, Sanguin., **Secal. cor.**, **Sepia**, Silic., Stram., Sulph., Thuja, Verat. alb., Vibur. opul., Zinc.

Threatened abortion: **Acon.**, **Arnica**, Asarum eurep., Bapt., Bell., Bry., Calc. c., Cannab. sat., **Canth.**, Caulophyl., Cham., China, Cinnab., Coif., Coccul., Crocus, Ferr., Gels., Helon., Hyos., **Ipec.**, Kali c., Ktfeosot., Nux in., Nux v., Opi., Plat., Puls., Rhus tox., Ruta, Sabina, Sanguin., Secal. oor., Sepia, Silic., Stram., **Trill.**, Verat. alb., Vibur. opul.

Causes.

From being in damp cold places. **Dulc.**

congestion and ulceration of the uterus'. **Canth.**

epidemic influenza, when women abort about as generally as the influenza prevails. Camphor.

----- excessive sensibility of all the nerves, so that, from even imagining something unpleasant might occur, a disagreeable sensation thrills her, momentarily arresting all her thoughts and functions. Asarum europ.

----- a fall, strain in the loins, or overexertion. **Rhus tox.**

----- . **Cinnamon.**

----- fright. Gels., **Opium.**

----- when the fear remains, and she seems not to get over

it. Acon.

----- gonorrhosal affections. Cannab. sat.

----- lead poisoning. Plumb.

(150)

From shock, fall, bruise, concussion, or any other traumatic cause.
Conium.

-----, especially if she begins to
flow, with or without pain, or pain with or without flow. **Arnica.**

----- sudden depressing emotions. **Gels.**

----- suppressed grief. **Ignat.**

typhoid fever. **Bapt.**

uterine debility. **Caulophyl.**

----- use of stimulants, wine, coffee, etc. **Nux V.**

Time of its Occurrence.

At the second or third month. **Apis, Kali C.**

----- third month. **Crocus sat., Sabina, Secal. cor., Thuja.**

----- , blood black. **Krcosot.**

During the early months. **Apis.**

----- later part of pregnancy—especially. **Opium.**

From the fifth to the seventh month. **Sepia.**

Constitutional Peculiarity.

Woman wit Ji habitual tendency to abortion. Aletr.
f., Argt. nitr., Asarum enrop., **Bapt.**, Calc. c., Cahnab. sat., Garb.
veg., Caulophyl., Cimicifuga, Coceul., Ferr., Helon., **Kali c.**, Kreo-
sot., Lycopod., Nux m., Plumb., Puls., liuta, **Sabina** (third month),
Sepia, Silic., Sulph.

----- always
occurring about the same time, usually caused by induration of some
part of the uterus. **Aurum.** (Aurum m., Natro natrum.)

----- pale, loose, and cold skin, 'with general disposition
to catarrhal troubles. **Caulophyl.**

----- usually too profuse and too early menses. **Calc. C.**

Mind and Disposition.

Anxiety with great nervous excitability. **Acon.**

Delirium, spasms, with rigidity of the limbs. **Hyos.**

Excitability—nervous. **Arnica.**

Fear of death. **Secal. cor.**

----- ; is sure she will die; with haemorrhage. **Acon.**

----- that she will abort. **Nux in.**

----- unconscious—which seems to control her; she is afraid to

leave the bed, to turn or to move, or she is afraid to go from room to room, or to go out and fears that something untoward may happen.
Aeon.

Irritability—from high living, wine, etc. **Nux V.**

-----great. **Sepia.**

-----, spiteful—she is snappish and uncivil when speaking.

Cham.

-----—, wishes to be alone. **Nux v.**

Sings constantly. **Stram.**

Loss of consciousness. **China, Hyos.**

-----will-power over the muscles. **Gels.**

Low-spirited. **Plumb.**

-----• with weeping. **Ignat., Lycopod., Sepia.**

Moans a great deal, which seems to afford relief. **Bell.**

Restlessness and agony. **Cham.**

-----nervousness—great. **Porloph.**

Sensitive to noise. **Bell., Sulph**

Sighing and sobbing. **Ignat.**

Talkativeness—unceasing—she talks, prays, implores, sings constantly. **Stram.**

Head.

Heaviness. **China.**

Pain in the. (Headache.) **Sepia.**

-----as if the head would split. **Bry.**

-----, congestion. **Bry., Calc. C., Sepia, Sulph.**

-----, throbbing of the carotids. **Bell.**

-----frequent. **Garb, veg., Lycopod.**

• -----heat on the top of the head. **Sulph.**

Perspiration—hot—about the head. **China.**

Vertigo. **Calc. c., Cham.**

-----great—when turning the head in bed. **Conium.**

-----on rising from a recumbent position; she has to lie down again. **Acon.**

-----when going upstairs. **Calc. C.**

-----when stooping, or rising from a stooping posture. **Bell.**

Eyes.

Redness of the—with flushed face. **Bell.**

Sight—loss of. **Hyos.**

Swelling of the upper lids. **Kali C.**

Ears.

Loss of hearing. Hyos.

Ringing in the ears. **China.**

Nose.

Catarrh—tendency to. Sepia.

----- and other blennorrhceas. **Sulph.**

Yellow saddle across the. **Sepia.**

Face.

Bright-red. **Ferr.**

Eruptions on the—and other parts of the body. Sulph.

Flushed—with red eyes; throbbing of the carotids, heat in head.

Bell.

----- from the least emotion or exertion. **Ferr.**

Pallor of the face. Kali c.

Paleness with exhaustion. Ferr.

Perspiration—cold—upon the forehead. **Verat. alb.**

Yellow spots upon the. **Sepia.**

Mouth and Teeth.

Dryness of the—and lips. Bry.

-----throat, the tongue sticks to the roof of the mouth, especially after sleeping. **Nux m.**

Toothache. Sepia.

Appetite and Thirst.

Desire for large quantities of water. **Bry.**

Hungry and faint at 11 P.M., cannot wait for dinner. **Sulph.**

Loss of appetite. Sulph.

Thirstlessness. **Apis.**

Stomach.

Dyspepsia. **Aletr. f.**

Nausea. Sanguin., Verat. alb.

----- and vomiting. Kali c.

-----constant—without a moment's relief. **Ipec.**

-----from sitting up. **Bry.**

Retching. Verat. alb.

Sinking, empty, painful sensation at the pit of stomach. **Sepia.**

-----sensation at the pit of stomach. **Ignat.**

Vomiting. Kali c., Yerat. alb.
 ----- bilious. Coccul.
 ----- ingesta. Sabina, Sulph.

Abdomen.

Bloatedness of the—sensation of—as if it were packed full; no relief from eructation. **China.**

Contraction around the hypochondria; painful. Ehus tox.

Fainting and sinking in the—feeling of. **Sabina.**

Fermentation in the—constant. **Lycopod.**

Flatus—desire to pass—but the evacuatiDn either up or down gives no relief. **China.**

Heaviness in the. Cham.

Motion of the child excessive and tremulous. Lycopod.

-----feeble. Sepia.

-----as if from something alive. **Crocus sat.**

Pain in the—about the umbilicus, passing off into the uterus.

Ipec.

-----colic. Calc. c.

-----frequent. Sepia.

-----contractive, with terrible bearing down. **Sepia.**

-----drawing, extending to the back, as though the abdomen were drawn upwards. **Plumb.**

-----extending to the sides. **Cham.**

-----from motion of the child; if the period of quickening has passed, she is sure the child is lying across the abdomen. Arnica.

-----the loins, extending through the hypogastric and iliac regions and down into the thighs. Sanguin.

-----irritations—and of the urinary organs—preceding an abortion. **Canth.**

-----laborlike. Nux m.

— ----- alternating with haemorrhage. **Puls.**

-----as if the internal organs would issue from the vulva. **Bell., Sepia.**

-----when standing. **Calc. C.**

-----the result of injury, with scro-mucous discharge. **Arnica.**

-----excessively severe. Coff.

-----false—with bloody discharge. Seeal. cor.

Pain in the—laborlike, passing off down the thighs. Kali c.
 ----- periodical. **Cham.**
 ----- spasmodic. **Caulophyl.**, Opium.
 ----- with desire to stool or to urinate. **Nux V.**
 ----- discharge of bright blood. Hyos.,
 Ipec.
 ----- dark blood. Cham., Puls.
 ----- partly fluid, and partly
 black clotted blood. **Ferr.**
 ----- flowing. Calc. c.
 ----- in the ovarian region, especially at night, disturbing
 sleep, recurring night after night, until symptoms of abortion set in.
Podoph.
 -----r, stinging, occurring more and
 more frequently till labor-pains are produced. **Apis.**
 ----- pressure—and drawing down in the legs from the
 navel. **Nux m.**
 ----- shooting from right to left. **Lycopod.**
 ----- , spasms. Garb. veg.
 ----- spasmodic—before the membranes are broken. VI-
 bur. opul.
 ----- stitching. Kali c.
 ----- uterine region, sore feeling, she needs to be moved,
 and feels cross about it. Xux v.
 ----- writhing—with nausea; or pains in back and loins
 as if dislocated. **Nux v.**
 Relaxed and soft abdomen. Sabina.
 Rumbling in the. Lycopod.
 Sensation as if tight, would break if much effort is made to void
 a stool. **Apis.**
 Tremulous sensation—extending into the—from the vulva. Plat.
 Weakness in the—sense of great. **Phos.**
 Weight in the—and uterine region. Aletr. f.

Stool.

Constipation prolonged and difficult. **Apis.**
 -----, stools difficult, as if the rectum had no power to ex-
 pel them ; or when the stool recedes after having been partly forced
 out. **Silic.**
 ----- , dry, as if burnt. **Bry.**


Constipation, prolonged and dry, large. Kali c., **Nux v.**
 -----, long, and narrow. **Phos.**
 -----, with involuntary, after ineffectual
 straining; great urging; mixed with slime. Sepia.
 -----prolapsus ani. **Ignat.**
 ----- in balls like sheepdung. **Plumb.**
 ----- small, frequent, with pain in the anus. **Nux v.**
 ----- — with sensation, when straining, as if the contents of
 the abdomen would issue from the rectum and vagina; especially in
 the second or third month. Kali c.
 Desire to stool at every pain. **Nux v.**
 -----; constant. Sabina.
 -----often. Cham.
 Diarrhoea. Erigeron, Sabina.
 Frequent but natural stool. **Podoph.**

Rectum and Anus.

Haemorrhoids, which bleed profusely, are sore to the touch, and
 itch much. **Sulph.**
 Pain in the—with constipation. **Nux v.**
 Prolapsus of the—with every stool. **Podoph.**
 Sense of weight—as from a lump—in the. **Sepia.**

URINARY ORGANS.

Affections of the—after abortion. Rheum.
 Desire to urinate at every pain. **Nux v.**
 ----- constant—sometimes ineffectual, but when suc-
 cessful, only a few drops pass with cutting and burning pain. **Canth.**
 ----- frequent—urine profuse and pale. **Cham.**
 ----- with burning- and scalding when uri-
 natinsr. Xux v.
 Dysuria. Erigeron.
 Intermittent flow of urine. **Conium.**
 Irritation of the—and bowels—preceding an abortion. **Canth.**
 Urine—scanty—usually. **Apis.**
 ----- profuse and pale. Cham.
 ----- with red sand in it. **Lycopod., Xux v.**
 ----- sediment, adhering to the vessel: very offensive.
Sepia.



W. Eggert

[Homoeop.therapeutics of uterine and vaginal discharges](#)

550 pages, pb
publication 2003



More books on homeopathy, alternative medicine and a healthy life www.narayana-verlag.com