

# Sandra Perko


## The Homeopathic Therapeutic Subject Reference

Reading excerpt

[The Homeopathic Therapeutic Subject Reference](#)

of [Sandra Perko](#)

Publisher: Benchmark



<http://www.narayana-verlag.com/b5123>

In the [Narayana webshop](#) you can find all english books on homeopathy, alternative medicine and a healthy life.

Copying excerpts is not permitted.

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Germany

Tel. +49 7626 9749 700

Email [info@narayana-verlag.com](mailto:info@narayana-verlag.com)

<http://www.narayana-verlag.com>



## **ABORTION**

See **Miscarriage**

## **ABSCESSSES**

See also **Boils**

See also **Felon**

**Arnica** – It is the remedy where abscesses and boils do not mature; they shrivel up, then another crop comes; Arnica will often develop the abscess, carrying it on to a discharge of the pus and a cure of the trouble. Boils coming in crops call for Arnica; they are very sore, purplish in color; also blood boils which are very sore. – *W. A. Dewey*

**Belladonna** – Belladonna is the remedy most often indicated for the initiatory symptoms of abscess. The parts swell rapidly, become bright red, there is intense throbbing which is painful; pus develops speedily, the swelling increases and the redness radiates. In abscesses about the alveolar processes, the so-called gum boils, Belladonna is often the first remedy and Mercurius follows here in most cases. In acute glandular abscesses Belladonna is often indicated and is a beginning remedy. – *W. A. Dewey*

**Echinacea** – It has achieved a well merited reputation in suppurative conditions, especially where symptoms of blood poisoning are present. There is no question as to its efficacy. – *W. A. Dewey*

**Fluoricum acidum** – Periosteal abscess. – *Boericke*

**Guaiacum** – Promotes suppuration of abscesses. – *Boericke*

**Hepar sulphuris** – Abscesses of the labia with great sensitiveness. – *Boericke*

Hepar sulph. is the great homeopathic remedy for suppurations where the pus is not decomposed. Excessive sensitiveness of the parts is a leading indication. If given low in threatening suppuration it will favor the formation of pus. The suppurative process will often be aborted by Hepar if given in the higher potencies. Such abscesses as felon or whitlow generally do well under Hepar. – *W. A. Dewey*

**Lachesis** – It is the remedy for abscess where poisonous matter has been introduced into the system, causing the trouble. – *W. A. Dewey*

**Mercurius** – It is especially indicated in glandular abscesses; the pus is greenish in tint, and quite thin and fluid. In abscesses at the roots of the teeth it is one of our best remedies, and it is often efficacious in toothache due to this cause. – *W. A. Dewey*

**Operculina turpethum** – Lymphatic glands are enlarged and indurated. Boils and slowly suppurating abscesses. *Boericke*

**Phytolacca** – Mastitis; mammae hard and very sensitive. Breasts is hard, painful and of a purple hue. Mammary abscess. When child nurses, pain goes from the nipple to all over the body. Cracks and small ulcers about the nipples. Irritable breasts, before and during the menses. Galactorrhoea. – *Boericke*

**Pyrogenium** – Pyrogen is the great remedy for septic states, with intense restlessness. In septic fevers. Pyrogen has demonstrated its great value as a homeopathic dynamic antiseptic. Great

pain and violent burning in abscesses. *Boericke*

**Rhus toxicodendron** – Especially has it been found useful in suppurative conditions about the eye. It has proved curative in abscesses about the parotid and axillary glands; the pus is bloody and serous, the pain is intense, and the swelling is dark red. Rhus corresponds very closely to septicemia. – *W. A. Dewey*

**Silicea** – Ripens abscesses since it promotes suppuration. Abscess in the cornea after traumatic injury. Abscess at the root of the teeth. Hepatic abscess. Abscess of the labia. Felons, abscesses, boils, and old fistulous ulcers. *Boericke*

Silicea is the remedy where the suppuration continues and the wound refuses to heal, no matter where the suppurative process is located; the pus is apt to be thin, watery, and the process is a sluggish and indolent one. Under Silicea the suppurative process takes on a healthy action, the pus becomes benign, granulations appear. It is then time to stop the remedy, for if it is continued it may undo the good it has done, and another remedy, probably Fluoric acid, will have to be given. This remedy antidotes the overuse of Silicea. – *W. A. Dewey*

**Sulphur** – Especially is it useful in chronic cases where the discharge is profuse, accompanied with emaciation and hectic fever. The pus is acrid and excoriating. – *W. A. Dewey*

**Symphytum** – Psoas abscess. – *Boericke*

**Syphilinum** – Syphilitic affections. Succession of abscesses. – *Boericke*

**Tarentula cubensis** – A toxemic medicine, septic conditions. Purplish hue and burning, stinging pains. As a curative and preventive remedy especially during the period of invasion. Gangrene. Abscesses, where pain and inflammation predominate. – *Boericke*

### ACCOMMODATION OF THE EYES

See **Asthenopia**  
See **Strabismus**

### ACHILLES TENDON – TENDO

**Benzoicum acidum** – Pain in tendo Achilles. – *Boericke*

**Hedeoma** – Tendo-Achilles painful, as if sprained and swollen; walking is painful. – *Boericke*

**Kali bichromicum** – Soreness of the heels when walking. Tendo Achilles, swollen and painful. Pains occur in small spots. – *Boericke*

**Ruta graveolens** – Acts upon the periosteum and cartilages. Tendency to the formation of deposits in the periosteum, tendons and about the joints, especially wrist. Contraction of fingers. Pain and stiffness in the wrists and hands. Hamstrings feel shortened. Tendons are sore. Aching pain in tendo-Achilles Thighs pain when stretching the limbs. Pain in the bones of the feet and ankles. – *Boericke*

**Thuja occidentalis** – Pain in the heels and tendo-achilles. – *Boericke*

### ACHLORHYDRIA

**Muriaticum acidum** – Cannot bear the sight or thought of meat. At times, ravenous appetite and constant desire to drink. Achlorhydria and fermentation of food. – *Boericke*

### ACIDOSIS

**Natrum phosphoricum** – Natrum phosphoricum is the remedy for conditions arising from excess of lactic acid, often resulting from too much sugar. Ailments, with excess of acidity. Sour eructations and taste. Sour vomiting. Yellow, creamy coating at the back of the roof of the mouth and tongue. Inflammation of any part of the throat, with sensation of a lump in the throat. Flatulence, with sour risings. – *Boericke*

**Nux vomica** – Sour taste, and nausea in the morning, after eating. Flatulence and pyrosis. Sour, bitter eructations. *Boericke*

### ACID REFLUX

See also **Acidosis**

See also **Dyspepsia**

See also **Heartburn**

**Natrum phosphoricum** – Ailments; excess of acidity. Sour eructations and taste. Sour vomiting. – *Boericke*

**Nux vomica** – Sour taste, nausea in the morning, after eating. Flatulence, pyrosis. Sour, bitter eructations. – *Boericke*

**Phosphoricum acidum** – Pyrosis, flatulence, diarrhea, diabetes, rhachitis and periosteal inflammation. Stomach; sour rising. – *Boericke*

**Phosphorus** – Cardiac opening seems contracted, and too narrow; the food is scarcely swallowed, then comes back up again. – *Boericke*

**Quassia-Picraena excelsa** – Acts on the gastric organs as a tonic. Pain in the right intercostals muscles above the liver. Atonic dyspepsia, with gas and acidity. Heartburn and gastralgia. Regurgitation of food. Tongue dry or with a brown sticky coating. – *Boericke*

### ACNE

**Antimonium crudum** – Small red pimples on the face, acne in drunkards with gastric derangements, thirst and a white-coated tongue. – *W. A. Dewey*

**Antimonium sulph. auratum** – Acne (pustular variety). Itching on the hands and feet. – *Boericke*

**Arnica** – Acne indurata, characterized by symmetry in distribution. – *Boericke*

**Arsenicum album** – Acne of the nose. *Boericke*

**Arsenicum bromatum** – Acne rosacea, with violet papules on the nose; worse in the spring. Acne in young people. *Boericke*

**Arsenicum iodatum** – Acne, hard, shotty, indurated base with pustule at apex. – *Boericke*

Acne rosacea yields to Arsenicum iodatum or Sulphur iodide. – *W. A. Dewey*

**Asterias rubens** – Face is red. Pimples on the side of the nose, chin and the mouth. Disposition to pimples at adolescence. – *Boericke*

**Belladonna** – Acne rosacea. – *Boericke*

**Berberis aquifolium-mahonia** – Acne. Blotches and pimples. Clears the complexion. – *Boericke*

**Bovista** – Acne worse in summer; due to use of cosmetics. – *Boericke*

**Bromum** – Acne, pimples and pustules. Boils on the arms and the face. – *Boericke*

**Calcarea sulphurica** – It is the best of all the acne remedies, unless there are strong indications for something else. The lesions are slow to heal and the patient is very sensitive to cold air and draughts and takes cold easily. – *M. Blackie*

**Carbo animalis** – Acne rosacea. Chilblains, worse in evening, in bed; from cold. Verruca on hands and face of old people with blueish color of extremities. – *Boericke*

**Chrysarobinum** – Acts as a powerful irritant of the skin and used successfully in skin diseases especially in . . . acne rosacea. – *Boericke*

**Crotalus horridus** – Acne. The lips are swollen and numb. Leaden-colored and yellow face. – *Boericke*

**Cuprum arsenitum** – Acne, pustules on the face and in the cruro-genital region. – *Boericke*

**Cyclamen** – Acne in young women, with pruritus better scratching and the appearance of menses. – *Boericke*

**Eugenia jambos - Jambosa vulgaris** – Acne, simple and indurated. The pimples are very painful for some distance around the area. Acne rosacea. Comedones. – *Boericke*

**Graphites** – Pimples and acne. Eruptions, oozing out a sticky exudation. Unhealthy skin; every little injury will suppurate. – *Boericke*

**Hepar sulphuris** – Acne in youth. Papules prone to suppurate and extend. Suppurate with prickly pain. Bleeds easily. Putrid ulcers, surrounded by little pimples. Skin has great sensitiveness to slightest touch. – *Boericke*

**Hydrocotyle** – The skin symptoms are very important. Pustules on the chest. Very copious and profuse perspiration. Acne. – *Boericke*

**Ichthyolum** – Acne on the chin. Externally, it is used as an ointment, with Lanoline 20 to 50 % for chronic eczema and psoriasis, also seen in acne rosacea. – *Boericke*

**Juglans regia** – Skin eruptions are prominent. Comedones [blackheads] and acne of the face. Crusta lactea, with soreness around the ears. Itching and eruptions of small red pustules. The scalp is red, and itches violently at night. Chancre-like ulcer. The axillary glands suppurate. – *Boericke*

**Kali arsenicum** – Acne; pustules worse during menses. Chronic eczema; itching worse from warmth, walking, and undressing. – *Boericke*

**Kali bichromicum** – Face has florid complexion. Blotchy, red appearance. Acne. Facial bones sensitive, especially beneath the orbits. – *Boericke*

They give the impression of having an unhealthy skin, the majority having a definite tendency to acne. – *M. Blackie*

**Kali bromatum** – Acne of the face, pustules. – *Boericke*

If you get acne severely in a child and no other definite indications, it will clear up on Kali brom. every time. It is the same with acne during menstruation in a woman, if there is no other indication. – *M. Blackie*

Kali bromatum produces an acne on the face, neck and shoulders. Especially adapted to the acne simplex and the acne indurata, in hyperaesthetic, nervous females. – *W. A. Dewey*

**Kali iodatum (hydriodicum)** – Acne, hydroa. Small boils. The glands enlarged, indurated. Rough nodules all over, worse any covering; heat of the body intense. Tendency to edematous swelling, eyelids, mouth, uvula, etc. Acne rosacea. – *Boericke*

**Kali muriaticum** – Acne, erythema, and eczema with vesicles containing thick, white contents. Dry, flour-like scales on the skin. – *Boericke*

**Lappa arctium** – Very important in skin therapeutics. Eruptions on the head, face, and neck; pimples; acne. Styes and ulcerations on the edge of the eyelids. Crops of boils and styes. – *Boericke*

**Ledum** – Acne on the forehead, sticking pain therein. Facial eczema. – *Boericke*

**Lycopodium** – Acne. Chronic eczema associated with urinary, gastric and hepatic disorders; bleeds easily. Skin becomes thick and indurated. Brown spots, freckles worse on the left side of the face and nose. – *Boericke*

**Medorrhinum** – Pallor acne, blotches of reddish color. Small boils break out during menses. – *Boericke*

**Nux vomica** – Acne; skin red and blotchy. – *Boericke*

**Oophorinum** – Suffering following excision of the ovaries. Climacteric disturbances generally. Ovarian cysts. Cutaneous disorders and acne rosacea. Prurigo. *Boericke*

**Phosphoricum acidum** – Pimples and acne, blood-boils. Burning red rash. *Boericke*

**Psorinum** – Nose; acne rosacea. – *Boericke*

**Pulsatilla** – When first serious impairment of health is referred to at the age of puberty. Acne at puberty. – *Boericke*

**Radium** – Found effective in the treatment of skin affections generally, acne rosacea. Small pimples. Erythema and dermatitis, with itching, burning, swelling and redness. Necrosis and ulceration. Itching all over the body, burning of the skin, as if afire. – *Boericke*

**Sanguinaria** – It has marked vasomotor disturbances, as seen in the circumscribed redness of the cheeks. Red, blotchy eruptions; worse in the spring. Acne, with scanty menses. Circumscribed red spots over the malar bones. *Boericke*

**Selenium** – Seborrhea oleosa; comedones with an oily surface of the skin; alopecia. Acne. – *Boericke*

**Sepia** – Face yellow blotches; pale or sallow; yellow about the mouth. Rosacea; saddle-like brownish distribution on the nose and cheeks. – *Boericke*

**Skatol** – Represents the ultimate end of protein decomposition and is a constituent of human feces. Acne with auto-intoxication dependent upon intestinal decomposition. – *Boericke*

**Sulphur** – Perhaps the remedy most often indicated in this affection, especially if chronic. The skin is rough and hard and the acne is associated with comedones and constipation; great aggravation from water is the characteristic leading to Sulphur in skin affections. – *W. A. Dewey*

**Sulphur iodatum** – Obstinate skin affections, notably in barber's itch and acne. Itching on the ears, nose, and in the urethra. Papular eruption on the face. Cold-sores on the lips. Boils on the neck. – *Boericke*

**Sulphurosum acidum** – Acne rosacea. *Boericke*

**Terebinthina** – Acne. Erythema; itching pustular, vesicular eruption. – *Boericke*

**Thuja** – One of our best remedies for acne facialis. – *W. A. Dewey*

**Tuberculinum** – Acne in tuberculous children. – *Boericke*

*Cation:* See cautionary Relationship and Dose advice before administering this remedy.

## ADDISON'S DISEASE

**Arsenicum album** – This is the most homeopathic of all remedies to this disease. Both the disease and drug have nerve depression, gastric irritation, general debility, feeble heart action and tendency to vomit. The skin symptoms have also a curious similarity; both the burning and the discoloration have been found in several cases of poisoning by Arsenic. The disease, though considered an incurable one, may have its development arrested by the proper remedy. *W. A. Dewey*

## ADENITIS

**Dulcamara** – It has a specific relation to the skin, glands, and digestive organs, mucous membrane secreting more profusely while the skin is inactive. Adenitis. – *Boericke*

## ADENOIDS

**Artaphis nutans** – Obstruction of the nostrils from adenoids. Throat deafness. Clarke regarded this remedy as a leading one in cases of adenoids. It was first used by Cooper in 1882. Deafness and deaf-mutism, breathes with mouth open. It is essentially a catarrhal remedy and acts specially on the glands connected with the nasal cavity, and its use generally avoids adenoid surgery. – *W. A. Dewey*

**Calcarea phosphorica** – Adenoid growths. – *Boericke*

Remedy highly recommended by Cooper, Clifton and many others as a most efficacious remedy in adenoid veg-

etations. It corresponds to the dyscrasia, which permits adenoid growths or tonsillar enlargement. – *W. A. Dewey*

**Cistus canadensis** – In scrofulous or arthritic individuals who have adenoid vegetations. There is extreme sensitiveness to cold air, this is characteristic. Sensation of heat and dryness in the throat so intense that the patient must drink to relieve. Cold air inhaled causes distress in the throat, the 6<sup>th</sup> potency seems to succeed the best. Cistus has a special affinity for the naso-pharynx. *W. A. Dewey*

**Hydrastis** – Perfectly homeopathic to the totality of the symptoms produced by adenoid vegetations, it has the yellow mucus and general lymphoid hypertrophy. – *W. A. Dewey*

**Iodium** – Adenoid vegetations. – *Boericke*

**Mezereum** – Interior of the nose excoriated. Post-nasal adenoids. – *Boericke*

**Sulphur** – Nose stuffed-up indoors. Chronic dry catarrh; dry scabs, readily bleeding. Polypus and adenoids. – *Boericke*

**Tuberculinum** – Adenoids are greatly benefited and often times permanently cured by a weekly dose of Tub. or preferably Bacillinum. – *W. A. Dewey*

### ADHESIONS

**Osmium** – Caused adhesion of the nail fold. Fold remains attached to growing nail. – *Boericke*

**Thiosinaminum - Rhodallin** – A resolvent, externally and internally for adhesions. – *Boericke*

### ADHESIONS POST OPERATIVE

**Calcarea fluorica** – Used after operations, the tendency to adhesions is reduced. Scar tissue and adhesions after operations. – *Boericke*

**Colocythis** – In cases of post-operative adhesions following hysterectomy. Give first, Thios 20 for five days, followed a week later with Coloc. 3 b.i.d. for a week, then night and morning for a week. – *D. Foubister*

**Thiosinaminum** – One of the most successful uses of Thios. In my experience in dealing with post-operative adhesions, either alone or with an individually indicated remedy. – *D. Foubister*

### ADYNAMIA

See also **Emaciation**

**Phosphorus** – Phosphorus inflames the spinal cord and the nerves, causing paralysis. Muscular pseudohypertrophy, neuritis. Ataxia and adynamia. – *Boericke*

### AGALACTIA – AGALACTEA

See also **Breast Feeding**

See also **Breast Milk**

For detailed information on Pregnancy and Childbirth problems, see *Homeopathy for The Modern Pregnant Woman and Her Infant* by the author.

**Agnus castus** – Agalactia with depression. – *Boericke*

Agnus castus is also a remedy for suppression of the milk where the patient is low-spirited. – *W. A. Dewey*

**Alfalfa** – Increases quality and quantity of the milk in nursing mothers. Tincture. *Boericke*

**Chamomilla** – If the milk flow is suppressed from a fit of anger. *W. A. Dewey*

**Pulsatilla** – This is usually the first remedy thought of in suppression of milk. The breasts are swollen and painful and the flow of milk is absent or scanty. The patient is apt to be depressed and tearful. – *W. A. Dewey*

**Ricinus communis** – Is an excellent remedy given in the lower potencies for the non-appearance of breast milk. It also increases its flow in nursing women. – *W. A. Dewey*

**Thyroidinum** – Agalactea. Begin treatment early in pregnancy. – *Boericke*

**Urtica urens** – A remedy for agalactia and lithiasis. Diminished secretion of breast milk. Arrests flow of milk after weaning. Excessive swelling of breasts. *Boericke*

When no cause is discernible for the non-appearance of milk, *Urtica urens* has been found useful. *W.A. Dewey*

### AGORAPHOBIA

**Arnica** – Fears touch, or the approach of anyone. Wants to be left alone.

Agoraphobia (fear of space). After mental strain or shock. – *Boericke*

### AIR SICKNESS

See **Motion Sickness**

### ALBUMINURIA

See also **Urine Chemistry – Urinalysis**

**Antipyrine** – Albumen in the urine. *Boericke*

**Brachyglottis** – Kidney and bladder symptoms predominate. Produces symptoms of albuminuria. The urine contains mucous corpuscles and epithelium, albumen and casts. – *Boericke*

### ALCOHOLISM

See also **Delirium Tremens**

**Apocynum cannabinum** – Acute alcoholism. – *Boericke*

**Apomorphia** – Combined alcoholism with constant nausea, constipation, and insomnia. – *Boericke*

**Arsenicum album** – Arsenic has visions of ghosts, with great weakness; diseases from overuse of alcohol; patients must have their accustomed drinks; great tremulousness and nervous weakness. Suicidal tendency, constantly annoyed by bugs and vermin that he sees upon his person and unceasingly tries to brush them off. – *W. A. Dewey*

**Avena sativa** – Alcoholism. Sleeplessness, especially of alcoholics. – *Boericke*

This is a valuable remedy in alcoholism where the victim is nervous and sleepless almost to the point of delirium tremens. It is also a useful remedy in the opium and cocaine habits. *W. A. Dewey*

**Calcarea arsenicosa** – Complaints of drunkards after abstaining. – *Boericke*

The queer thing about this remedy, which is where it can sometimes be very useful, is that it can help an alcoholic to get off his alcohol. He has to want to get off it before you can help him. I would give it in the 6C or 12C potency for three weeks then stop to see how the patient was. – *M. Blackie*

**Calcarea silicica** – They are chilly, and very sensitive to alcohol. After a glass of alcohol they can feel their heads swimming as if they could not walk straight. – *M. Blackie*

**Cannabis indica** – A very reliable remedy in acute alcoholism. Some violence, talkativeness and active mind; subjects crowd it, delusions and hallucinations relate to exaggerated subjects, time, space, etc.; face flushed, pupils dilated, perspires easily. Surprise is constantly expressed on the countenance. – *W. A. Dewey*

**Capsicum** – Abstainers from accustomed alcoholics. Prostration and often feeble digestion of alcoholics. – *Boericke*

Capsicum in ten drop doses of the tincture will stop the morning vomiting, the sinking at the pit of the stomach and the intense craving for alcohol in dipsomania, and promotes the appetite. It reduces the agitation and tremor and induces calm sleep. Delirium tremens

will often be speedily relieved by Capsicum. – *W. A. Dewey*

**Carboneum sulphuratum** – Very useful in patients broken down by the abuse of alcohol. Irritable, anxious, intolerant; stupor. Hallucinations of sight and the hearing. – *Boericke*

**Carduus marianus** – The action of this drug is centered in the liver, and the portal system, causing soreness, pain, and jaundice. It has specific relation to the vascular system. Abuse of alcoholic beverages, especially beer. Hyperemia of liver, with jaundice. Cirrhosis, with dropsy. – *Boericke*

**Chimaphila umbellata** – Chronic alcoholics. – *Boericke*

**Crotalus horridus** – Gastritis seen in chronic alcoholism. – *Boericke*

**Fluoricum acidum** – Hob-nailed liver of alcoholics. – *Boericke*

**Ichthyolum** – Alcoholism when nothing will stay on the stomach. – *Boericke*

**Lachesis** – Craving for alcohol, oysters. The liver region is sensitive, cannot bear anything around the waist. Especially suitable to drunkards. – *Boericke*

There is another side of the Lachesis picture which I have only met in connection with the chronic alcoholic. In this case you get a more congested appearance. There is the same tendency to the venous stasis, dilated veins on the face, nose, and so on, but you do not get the brightness or the same mental sharpness - the edge of things is a little blunted. You get the same tendency to wander, to half finish one subject and drift off to the next one. You get the same tremor, perhaps even

more noticeably, and rather more irritability, even though the ordinary Lachesis patient has quite a useful temper. These alcoholics do seem to develop the worst side of the remedy - they are also more malicious in their statements about other people.

Another point about a Lachesis alcoholic is that they get a marked aggravation from food. They are more drowsy, more heavy, more muddled, liable to get a congested face, and awfully difficult to treat. I remember one such patient who had to be given his medicine without his knowledge, as he would not take it. He was very suspicious and thought he was going to be poisoned - a state pretty constant in the Lachesis alcoholic.

Another common reaction in the alcoholic is that they are very conscious that they themselves have been responsible for the state they are in. They are very melancholic about it, and are hopeless about your being able to do anything for them. - *M. Blackie*

**Lobelia inflata** - Bad effects of drunkenness. Vertigo, and fear of death. Gastric headache, with nausea, vomiting, and great prostration; worse afternoon until midnight; tobacco. Extreme nausea and vomiting. Profuse sweat and prostration. Cannot bear the smell of tobacco. - *Boericke*

**Nux vomica** - Nux is the great anti-alcoholic remedy. It corresponds to the tremor, to the nervous affections, to the headache, to the bad taste. It also corresponds to delirium tremens, where every little noise frightens and the victim finds no rest in any place, springs up at night and has frightful visions. The tremor is marked with ugliness and irritability and gastric disturbance. It is the remedy for the acute results of a spree. It is the remedy to be given while

the patient is still under the influence of liquor or any of the stages of alcoholism. - *W. A. Dewey*

**Quercus glandium spiritus** - Antidotes effects of alcohol. Takes away craving for alcoholics; give for several months. Dropsy and liver affections. - *Boericke*

**Ranunculus bulbosus** - Bad effects of alcohol; delirium tremens. Spasmodic hiccough. - *Boericke*


This remedy, given in the tincture has been found to be most calming in attacks of delirium tremens. It is undoubtedly one of our best remedies in the treatment of acute alcoholism. - *W. A. Dewey*

**Selenium** - Disire for brandy and other strong drink. Chronic liver affections; liver painful, enlarged, with fine rash over the liver region. Stool constipated, hard and accumulated in the rectum. *Boericke*

**Stramonium** - Stram. Is suitable in habitual drunkards. The prevailing mental characteristic is terror, all hallucinations and illusions are fright and terror producing. It has visions of animals coming at him from every corner and he tries to escape. The face of Stramonium, is bright red, not dark red as in Opium. *W. A. Dewey*

**Strophanthus hispidus** - Nausea with special disgust for alcohol and so aids in treatment of dipsomania. Seven drops of the tincture. - *Boericke*

**Sulphuricum acidum** - Craving for stimulants; and alcohol. Water causes coldness of the stomach; must be mixed with liquors. - *Boericke*



Sandra Perko

[The Homeopathic Therapeutic Subject Reference](#)

A Homeopathic Practice Guidebook for  
Physicians  
and Health Care Practitioners

616 pages, pb  
publication 2008



More books on homeopathy, alternative medicine and a healthy life [www.narayana-verlag.com](http://www.narayana-verlag.com)