

Isaac Golden


Vaccine Damaged Children - Imperfect copy

Reading excerpt

[Vaccine Damaged Children - Imperfect copy](#)

of [Isaac Golden](#)

Publisher: Golden



<http://www.narayana-verlag.com/b17091>

In the [Narayana webshop](#) you can find all english books on homeopathy, alternative medicine and a healthy life.

Copying excerpts is not permitted.

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Germany

Tel. +49 7626 9749 700

Email info@narayana-verlag.com

<http://www.narayana-verlag.com>



Cases: Two Cases of Multiple Layers of Vaccine Damage

A brief outline of the homoeopathic method

Some readers will not be familiar with homoeopathic medicine, and for this reason I have included a brief outline of the homoeopathic method in Appendix 6 so that you will better understand the following case material. Please feel free to turn to it at any time to assist your understanding of the reasons for the method used in the following cases.

The explanation is taken largely from the third booklet in my home prescribing series, *Australian Homoeopathic Home Prescriber: Part 3 - A Simple Introduction to Homoeopathic Medicine* (2006).

One point to note is that homoeopathic remedies are prescribed in different strengths or potencies. The normal range is 30, 200, 1,000 (or M), 10,000 (or 10M), 50M, 100M (or CM), 500M, 1,000M (or MM).

Thus you will find each prescription showing the remedy name and the potency. For example, "DPT M" means the M or 1,000th potency of the triple antigen (DPT) vaccine.

Actual names are of course not given in the cases in this book, however the dates are correct. Because I choose to live in somewhat remote areas, I do a lot of phone and now internet follow-ups, which are the dates shown between the first and subsequent consultations.

In some of the cases I have made comments explaining the use of certain remedies. I have put these personal comments in italics.

Case 135 - "Sam"

Overview: Sam's case illustrates how a vaccine (in this case the MMR vaccine) can create a "layer" of disturbance (autistic type symptoms) on top of another level of disturbance caused by the DPT vaccine (aggression, ADHD type symptoms). The MMR potency helped to remove the most recent layer first revealing the deeper layer, and then the DPT potency worked on the ADHD type layer. Sam had one of the most dramatic reactions to a vaccine potency which I have ever seen (a massive expulsion of worms). We spent most of the time waiting for each dose to do its job, and the improvement continues to be dramatic.

This is the longest case in the book which has been updated in the 2010 Revision. It has currently been going for 2¹/₄ years, but shows what is possible when parents give sufficient time for remedies to complete their work.

27.11.07. Male, 3 years of age.

For the first 12 months of his life, Sam was a happy boy who mixed well with people. Then on 25/5/05 had the following vaccines: MMR, Meningitis A & C, Hib and Hep B.

He had a reaction, including sweating and a temperature. He was not able to move his arm for 2 days. The doctor said he had hit a muscle.

A couple of months later he was very sick for 6 weeks, with vomiting for 2 weeks and diarrhoea for 4 weeks. He refused food and became very hyperactive.

After that time he would improve for 4-5 days, then have vomiting for 10 days. After some time that pattern finished.

However he was never free of diarrhoea.

He was NEVER HAPPY, whined a lot, avoided cuddles and would play up. Slept a lot. Was both hyperactive and fatigued.

He stopped talking (would point and cry). Some words came back around 2y/o. FOOD SENSITIVITY.

At 2 y/o they saw a paediatrician who did a lot of tests which showed an elevated white cell count (Dr said he had an infection). Lumps in the back of his neck.

NOW: parents took him off formula 4 weeks ago and the diarrhoea stopped, but now he is constipated with a motion every 3rd day. Less hyperactivity, but REALLY BAD AGGRESSION. Will lash out at his parents.

The Doctor diagnosed him with PERVASIVE DELAYED DEVELOPMENT AUTISTIC SPECTRUM. He also said that Sam would not be able to go to a normal school. The Doctors want him to be officially diagnosed with asbergers/autism. They also said that his mother should see a psychiatrist.

Now, he lines things up. He is very upset if strangers look at him. When he is upset he is much better if placed in a bath. Better if his mother presses her hand of his stomach which calms him. Sam will press her hand hard into his stomach. He is also better in a car.

Rx. (1) MMR M fortnightly.

3.12.07 Sam EXPELLED A MASSIVE NUMBER OF WORMS ++ (he had never done this before). Swollen eyes, dribbling, cough, emotionally fragile. His cheek swelled (like occurred following the injection).

5.12.07 High fever. Better in general.

7.12.7 High temperature with a cold and a cough.

11.1.7 (2nd consultation) Has only had one dose of the MMR M. Very significant reaction. Now has much better eye contact. His eyes are more clear than before. Now he won't stop talking to others. Less compulsive, but still lines up chairs when in a different environment, and still has a fascination with water.

Now, he is more defiant. He wants to get his own way and wants to be in control. He will cry to get sympathy. He will either (i) talk a lot, (ii) get his own way, or (iii) try to keep changing things.

He is not physically aggressive, but will have an outburst every now and then. Is much better with other children, but needs to be on his terms. He wants to be accepted. Is better with older children.

His parents gave him a dose of worm tablets from the chemist 3 weeks ago. He became more aggressive.

Sam's dad said that his hyperactivity began at 7 months of age following the DPT vaccine.

Rx. Hold the (1) MMR M, and use (2) Cina 30 for worms if necessary.

7.2.08 (3rd consultation)

(2) Cina 30 helped Sam to sleep through the night. Still has not repeated the (1) MMR M.

His speech is now much better.

He is very dependant on his mum at the moment.

In general, better in the morning, then around 2pm becomes fatigued, then cried, then becomes agitated. Then around 7pm becomes hyperactive.

He went to kinder. Was OK if left alone, but unsettled if a teacher disturbed him.

Food: craves cheese, sweets, ice cream. Very hard to get Sam to eat other foods.

Rx. Give a second dose of (1) MMR M. Use (3) Cina 200 weekly as required.

15.2.08 Face became swollen again after MMR M. Now face is better, but has become very disturbed after attending an early invention program recommended by doctors.

4.3.08 Is improving, even the people at the intervention program see a change.

For the practitioner, this type of result is what we work for - a fundamental change in the well being of a seriously unwell person. It provides more satisfaction than mere \$\$ alone could supply.

Case 18- "Jim"

Overview: Jim's case is different from most others because at the time I did not have a potency of the Hepatitis B vaccine, a clear "never well since" trigger, but I did have the Hepatitis B nosode. This remedy appeared to have a positive effect, despite not covering the chemicals in the vaccine itself. The next remedy, a potency of the DPT vaccine, appeared to take up the case and progress it.

I saw Jim on 1st June, 2001. He was nearly 15 years old, in Year 9 at school. His mother said he was continually sick.

He currently suffered from sore dry throats, swollen glands, blocked ears, recurring colds, his bones ached and he was often tired and cranky. His tonsils were enlarged and the lining of his nose is swollen, although a sinus scan was clear. Blood tests showed nothing.

He was never well since a series of three Hepatitis B vaccines on 24/2/99, 31/3/99, and 15/9/99. He was ill with a cough on 16/10/99 and again on 10/11/99, and has been generally unwell since then.

He had a severe 24 hour reaction to his first DPT vaccine. After that he was given each component separately. He had ear infections when young.

Rx. (1) Hepatitis B M, single dose. (2) *Phytolacca 6c*, 2 pillules twice daily (*note: the Phytolacca 6 was used as a lymphatic drainage remedy*)

27.7.01 (2nd consultation)

Vaccine Damaged Children: Treatment, Prevention, Reasons

Fewer headaches. Better in the morning, but still tired during the day. Still has phlegm. Lately, sleep poor. However in general feeling better.

Rx. Sinus herbal drops. (3) Hepatitis B 10M every three weeks.

28.8.01. Mother phoned. He is still improving, although still is congested.

4.12.01 (3rd consultation)

Very few headaches now. All the Hep B related symptoms have cleared (sore throats etc).


Recently, his stomach has been uncomfortable.

Rx. (4) DPT 10M every 2 weeks. Sinus herbal drops. Kali Sulph 6x t.d.s. (*note: these last two remedies were used as drainage to assist with acutely clearing the sinuses when necessary*).

17.2.02 Phoned. Going very well

Rx. (5) DPT 50M every 3 weeks.

CASE FINISHED



Isaac Golden

[Vaccine Damaged Children - Imperfect copy](#)

Treatment, Prevention, Reasons

130 pages, pb
publication 2010



More books on homeopathy, alternative medicine and a healthy life www.narayana-verlag.com