

# Calvin B. Knerr


## Repertory of Hering's Guiding Symptoms

Reading excerpt

[Repertory of Hering's Guiding Symptoms](#)

of [Calvin B. Knerr](#)

Publisher: B. Jain



<http://www.narayana-verlag.com/b23>

In the [Narayana webshop](#) you can find all english books on homeopathy, alternative medicine and a healthy life.

Copying excerpts is not permitted.

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Germany

Tel. +49 7626 9749 700

Email [info@narayana-verlag.com](mailto:info@narayana-verlag.com)

<http://www.narayana-verlag.com>



## HEAD

**Apoplexy. Brain. Cerebrospinal. Dandruff. Eruption. Fontanelles. Forehead.  
Forehead. Hair. Head. Headache. Occiput. Parietal. Scalp. Skull.  
Sunstroke. Temples. Tumors. Vertex.**

- APOPLEXY** : ACON., ANAC., ARN., ARS., ASTER.,  
**BAR-C.**, BELL., BRY., Cadm-s., CAMPH., COCC.,  
CROT-H., **Form.**, GELS., **GLON.**, HYOS., lod., IP.,  
**LACK.**, LAUR., MERC., Mill., NUX-M., NUX-V.,  
Oena., **OP.**, PHOS., PLB., **Puls.**, SIN-N., STRAM.,  
Tab., VERAT-V.
- **chest**; with congestion to : CUPR.
  - oppression in : CROT-H.
  - **constipation** precedes : ASTER.
  - **constitution** hemorrhagic or broken down (inebriates):  
CROT-H.
  - **drinking**, abuse of liquor or coffee : NUX-V.
  - **in drunkards** : CROT-H., LACK., NUX-V., OP.
  - after **eating**, a hearty dinner : NUX-V.
  - **eyelids** closed, twitch : CUPR.
  - **fear** of : Apis, Arg-n., Zinc.
  - on awaking : **Aster.**
  - followed by fever : Aster.
  - **in fever**, intermittent : CHININ-S.
  - during sweat: Stram.
  - after **grief**, disappointed love : **Phos.**
  - **head**, burning, before : ASTER.
  - grasps at: PHOS.
  - sudden attacks of vertigo-like shocks in, before :  
ASTER.
  - deep-seated stitches in right parietal region and dull,  
heavy, crampy pain in arms, before : SIL.
  - with **headache** : BELL., Cinnm., **GLON.**
  - in terrific shocks : SEP.
  - **left-sided**, especially after mental emotions or abuse  
of alcohol : LACK.
  - in **men** addicted to drinking and sexual excesses, with  
disposition to gout and hemorrhoids : SEP.
  - **neonatoram** : ARN.
  - **nervous** form : *Ambr.*, ANT-T, **CUPR.**, CUPR-ACT.,  
Dig., Ign., IP., Sin-n.
  - in an old woman weakened by bleeding : **Phos.**  
with convulsions : Cupr.
  - with distortions of face : Cupr.
  - spasmodic hiccough : Caj.
  - with somnolency : HYOS.
  - with palsy of speech : Cupr.
  - **in old persons** : APIS, **BAR-C.**, OP.
  - **palpitation**, after : CUPR.
  - **paralysis**, follows: BAR-C., CAUST, COCC., GELS.,  
**LACK.**, LAUR., PLB., STRAM.
  - with rapid atrophy and loss of sensation of affected  
part : PLB.
  - general (rarely useful in hemiplegia or paraplegia) :  
GELS.
  - of legs : NUX-V.
  - of limbs : STRAM.
  - particularly in old people : Con.
  - particularly in right side : Crot-h.
  - with ptyalism : NUX-V.
  - **pulse**, compressed, frequent, before : Aster.
  - slow, weak, small, after : CUPR.
  - **sanguineous** form : APIS, ARN., **ASTER.**, **CACT.**,  
Ferr.
  - with vertigo, vomiting, burning in stomach, distension  
of temporal veins : Sang.
  - **serous** form : ANT-T, APIS, Ars., Ars-s-f, BAR-C.,  
BRY., Dig., HELL, IP.
  - with threadlike, very quick pulse : GLON.
  - with **stupor** : (See **Coma; Stupor; Unconsciousness**  
under MIND).
  - **subjects**, predisposed to passive cerebral congestion,  
with somnolence after eating : OP.
  - lymphatic or leuco-phlegmatic, ill nourished  
(prophylactic) : MERC.
  - **threatened** : ASTER., BELL, **COFF.**, FL-AC., Ign.,  
LAUR.
  - with cholera Asiatica : OP.
  - with congestion to head : BELL., Coff., GLON.,  
Stront-c.
  - with **unconsciousness** : (See **Unconsciousness** under  
MIND).
  - with **uterine** polypi: CON.


- **venous** : **SEP**.
- with **vertigo**, in walking : **SEP**.
- from **vexation** : **ACON**.
- **in women** from affections of reproductive system: **SEP**.
- with **wrist** drop, alternating with colic : **PLB**.
- BRAIN, abscesses**, scattered through substance : Hipp.
- thinks an abscess is forming, "pain will set her crazy" (catarrh of frontal sinuses) : **CUPR**.
- purulent collections between bones of skull and dura mater : Hippoz.
- **aching**; one continued : **CHININ-S**.
- at base of, with swelling of cords of neck : **Med**.
- dull, heavy, at base of : **Merc-i-f**.
- near eyes : **Aspar**.
- in exostosis : **ARG-MET**.
- stupefying : **Stann**.
- **active** : (See **Mental activity** under **MIND**).
- **affections** : **BRY.**, **CIMIC.**, **CROC.**, **CUPR.**, **GELS.**, **GLON.**, **HELL.**, **Kali-br.**, **NUX-V.**, **Ziz**.
- with aphasia : **STRAM**.
- of children : **APIS**, **BELL.**, **CALC.**, **CALC-P**, **KALI-C.**, **HELL**, **SULPH**.
- child rubs face and eyes, especially eyes, as if to relieve itching : **Squill**.
- in children with catarrhal fever, difficult dentition, or exanthematic diseases, cannot hold head up : **CUPR**.
- in cholera infantum : **OP**.
- with unconsciousness and convulsive symptoms : **MAG-P**.
- cause chorea : **STRAM**.
- after suppressed eruptions : **Cic.**, **SULPH**.
- in diarrhoea and dysentery : **ARN**.
- diarrhoea, stools smell like carrion : **Kali-p**.
- of drunkards : **MERC.**, **NUX-V.**, **OP**.
- exacerbations, evenings : **Cupr**.
- exanthemata suppressed by cold : **PH-AC**.
- during or after vesicular erysipelas : **STRAM**.
- with distortion of eyes (scarlatina) : **SULPH**.
- with iritis : **ARG-N**.
- in relapsing fever : **Ust**.
- with glycosuria : **PHOS**.
- from continued grief : **PH-AC**.
- incipient, when child is sleepless, laughs and plays at night: **Cypr**.
- from intestinal irritation : **Cina**.
- with jaundice : **PHOS**.
- from overexertion : **PH-AC**.
- nervous : **Nux-m**.
- with pneumonia : **HYOS**.
- in scarlatina : **APIS**, **LACK.**, **SULPH.**, **ZINC**.
- from sexual excesses or drain on system : **PH-AC**.
- in smallpox : **BELL**.
- cause strabismus : **STRAM.**, **TAB**.
- with summer complaint : **CUPR-ACT**.
- after typhoid : **PH-AC**.
- with profuse or scanty urine : **Squill**.
- from want of vigor : **Kali-p**.
- with vomiting : **VERAT-V**.
- from getting wet : **BRY**.
- **as if agitated** by boiling water : **ACON**.
- symptoms appeared and ceased coincidentally with the appearance and cessation of albuminuria : **Plb**.
- **anaemia** of (See **atrophy**; **exhaustion**; **paralysis**; **sclerosis**; **softening**) : **CON.**, **Dig.**, **Kali-p**.
- brain fag : **ZINC**.
- from loss of fluids : **Kali-br**.
- causes insomnia : **MAG-P**.
- **atrophy**; acute, with uraemia : **PHOS**.
- tendency to, in old age : **PHOS**.
- **arachnoid**, air bubbles below : *Ars-h*.
- adherent to pia mater : *Crot-h*.
- a little injected : *Ars-h*.
- inflamed : **APIS**.
- opaque : *Ant-t*.
- opaque, thickened, tough : *Crot-h*.
- pains like steel arrows, piercing from forehead to nape of neck: **Anan**.
- **as if asleep** : (See **numbness**).
- **atrophy** (See **anaemia**; **exhaustion**; **paralysis**; **sclerosis**; **softening**) : **Fl-ac.**, **Iod**.
- acute, with uremia : **PHOS**.
- preceded by overexcitement, causing paralysis : **PHOS**.
- tendency to in old age : **Phos**.
- sensation as if **balancing** to and **fro** : **Aphis**.
- striking against skull, painful : **Chin**.
- sensation as if a small, leaden ball were rolling about: **Lyss**.
- as if laid **bare**, and cold air passed over it: **Anan**.
- **beating**, deep in right side (See **congestion**; **throbbing**) : **Sars**.
- worse rising in bed, motion, better by cold washing, walking in open air : **ARS**.
- in waves against skull: **CHIN**.
- as if beating against skull, painful on nodding head : **SULPH**.

## Head

- on slightest movement: Tell.
- **as if boiling** over and lifting cranium like lid of tea-kettle : Cann-i.
- **boring**, deep in (See **nail**) : Ant-t., IGN.
- as if being bored out (sick headache) : TAB.
- feels **bound** up (See **constricted**) : Aeth.
- **bruised**, feeling (See **crushed; dashed**): ARN., CUPR., **GELS.**, NUX-V.
- as if beaten : NUX-V.
- worse on moving, even opening eyes : **CHIN**.
- generally one-sided (right), better lying on painless side: NUX-V.
- when stepping from a high step to ground : PHYT.
- in vertex, better cold air : Ind.
- **burning** (See **congestion; heat; meningitis**) : Canth., PHOS., Verat.
- with chills : GLON.
- over eyebrows in evening : Carb-ac.
- worse from light: GLON.
- night and morning, worse motion, better rest: Am.
- with vertigo in morning : GLON.
- **bursting** feeling (See **distended; pressing**) : Ars-met.
- especially at temple, begins on rising in morning, generally better lying down : LACH.
- **buzzing** : FERR.
- feeling as if it were falling forward : Guare.
- **cerebellum**, aching with subjective tenderness of spine to kidneys : Med.
- as of blows (headache) : Cur.
- boring from within : SPIG.
- burning glow : Med.
- chilliness, every evening : DULC.
- cold : *Camph.*
- with stiffness in brain : PHOS.
- congestion, in chorea : CHEL.
- cortex reduced to a soft pulpy mass, dark brown, loaded with shining greasy particles : *Pic-ac.*
- heavy, crushing cutting across base : Syph.
- dull pain : MED., Sal-ac.
- as if enlarged, worse, cold damp weather, until 2 P.M., better lying down : DULC.
- exhausted feeling, with subjective tenderness of spine, from cerebellum to kidneys : Med.
- dulness and beating : Bry.
- headache begins in morning, spreads over left side of head, causing violent and pulsating pain in left temple and over left eye, periodical : Spig.
- heaviness in forenoon, in cold air, better after dinner : CARB-AN.
- irritation from sexual over-excitement: **Pic-ac.**
- painful jerks through left, leaving dull pressure, worse during rest, better from motion : STANN.
- stitches in right lower : **Iris**.
- pain : BENZ-AC., SPIG.
- with congestion to head (pertussis) : ANAC.
- pain in right side : Elaps.
- pain with vertigo : Tarent.
- pressing : Petr.
- pressing pain in small spots, occurring on slightest mental exertion, or from nightwatching : COLCH.
- stinging : Petr.
- strange feeling in right side : Meph.
- throbbing, beginning morning, lasts till noon or evening, worse from motion, turning eyes, lying on back, better lying on side, closing eyes, at rest and dark room : SEP.
- throbbing, better standing, most with such as were deprived of sexual intercourse: **CAMPH**.
- unpleasant sensation, extends from occipital protuberance to left ear, seems as if it were hollow, yet there is a dull ache, a feeling as if brain were not large enough to fill space, worse when he hurts testicle : **Staph.**
- **chills**, creeping along convolutions, with prickling : Abrot.
- shuddering passes down spine, with headache : Tub.
- **cloudiness** (cholera) : LAUR.
- **cold** sensation at middle of forehead : Bell.
- **collapse**, impending : PHOS.
- **compressed** feeling (See **constrictive; pressing**) : CHAM., IGN., HYPER.
- when conscious of pain it disappeared : Camph.
- with hammering in forehead : KALI-I.
- **compression** : **ARN**.
- no fracture (fungus) : Calen.
- **concussion** : **ARN.**, Calen., CIC., HELL., HYOS., KALI-P., TEUCR.
- worse from 3 to 6 P.M. (after Arn. failed) : HELL.
- function of cells depressed : **Kali-p.**
- inflammation after a fall: **Zinc**.
- deafness : Chinin-s.
- pupils dilated : Cic.
- painful, from shaking head, from walking : Cocc.
- with aching in head and in epigastrium : Mang-c.
- at each step : RHUS-T.
- a misstep causes sensation of : LED.
- **confused** (See **dull; stupid**) : **Kali-br.**

## Head

- **congestion (beating; fullness; heat; hyperaemia; meningitis; throbbing)** : Absin., Amyg., **Ant-t**, ARG-N., ART-V., **BELL.**, **CACT.**, Chlol., Cic., FERR-R, GELS., **Hell.**, Hydr-ac., KALI-C., KALI-BR., PAR., PULS., Stram., SULPH., Ust.
- from alcoholic stimulants : VERAT-V.
- in angina pectoris : CIMIC.
- precursor of apoplexy : ASTER.
- intense throbbing of arteries : VERAT-V.
- resulting in paralysis of brain (typhoid) : OP.
- with buzzing, roaring, etc. : VERAT-V.
- preceded by chill: GELS.
- with constipation : ASTER.
- with convulsions : BELL., GLON.
- after attack resembling epilepsy in children : IGN.
- intense, with sudden spasms : VERAT-V.
- convulsions, particularly in children (irritative fever): VERAT-V.
- in puerperal convulsions : VERAT.
- in diphtheria : **Tarent**.
- intense, from suppressed discharges : VERAT-V.
- in delirium tremens : **Chlol**.
- epileptiform attacks : **Phys**.
- causes or attends epilepsy with vascular fulness of retina : KALI-BR.
- with excitement: Eucal.
- at base of brain, with dim or double vision : VERAT-V.
- in fevers from unusual exertion or exposure to sun : BELL., GLON., GELS.
- congested feeling in front, worse from exerting intellect : Crot-h.
- intense, with giddiness : BELL., VERAT-V.
- causing headache : Am-br., BELL, GLON., **VERAT-V**.
- caused by periodical involuntary laughing fits : **Zinc**.
- with convulsive movements at limbs and muscles of face : **CUPR**.
- with convulsive movements of limbs (meningitis, cerebrospinal) : CUPR-ACT.
- with mania : KALI-BR.
- causing hysterical mania (congestion of womb and metrorrhagia) : CROC.
- violent, with puerperal mania and convulsions : VERAT.
- with suppressed menses : **VERAT-V**.
- in plethoric constitutions : **GLON**.
- with mental excitement: Chlol.
- in migraine : KALI-BR.
- intense, with nausea : VERAT-V.
- from suppression of long-standing nasal discharge : KALI-I.
- relieved by nosebleed : PSOR.
- following nervous depression : **Chlol**.
- resulting in paralysis of brain (typhoid) : OP.
- passive, with somnolence after eating, predisposed to apoplexy : OP.
- intense, from plethora : VERAT-V.
- in pneumonia : KALI-I.
- symptoms of, disguise pulmonary inflammation : OP.
- first stage of scarlatina : VERAT-V.
- causes sleeplessness : BELL., KALI-BR.
- with increased sensitiveness to sounds : VERAT-V.
- with stupefaction : VERAT-V.
- sudden : Hydr-ac.
- causes coma, fear of death, insanity, puerperal convulsions, quarrelsome delirium, stupor : Verat-v.
- from exposure to sun's rays : BELL., Cact., GLON., VERAT-V.
- comes when sweat fails (intermittent) : CACT.
- intense, caused by teething : VERAT-V.
- tendency to in otitis : **SULPH**.
- intense, from vascular irritation : VERAT-V.
- with vertigo : Anan.
- intense, with vomiting : VERAT-V.
- with zymotic or septic diseases : Crot-h.
- alteration in **connective** tissue causes paralysis or spasms : SIL.
- **constructive** sensation (See **bound; compressed; contracted; pressing;** tense) : CHAM.
- with feeling of anaesthesia : KALI-BR.
- as if by a ligature : Cocc.
- **as if contracted** : Grat.
- pain at base : Camph.
- cerebellum as if laced together, with coldness : **CAMPH**.
- followed by numbness of head and externally on vertex, worse in evening and while sitting, better from motion and in open air : PLAT.
- painful : LAUR.
- **contusive** pain : (See **bruised**).
- **cracking** sensation, must hold head during motion to prevent threatened rupture of cranium : GLON.
- **crampy** feeling, while walking : Calad.
- **crawling** : Apis.
- **crazy** feeling, hard to describe : Vario.
- pain at base of, as if **crushed** in a vise, or something gnawing there : Nat-s.



Calvin B. Knerr

[Repertory of Hering's Guiding Symptoms](#)  
of our Materia Medica

2064 pages, hb  
publication 2010



**order**

More books on homeopathy, alternative medicine and a healthy life [www.narayana-verlag.com](http://www.narayana-verlag.com)